

Revision date: 15-09-2026

Revision Number: 1

1. IdentificationProduct identifier**Product Name** CORE™ DM793 GRAY PLASTISOLOther means of identification**Product Code** FO20034352**Material number(s)** FO20034352EV;FO20034352EW;FO20034352TT;FO20034352WE;FO20034352Z5**Synonyms** NoneRecommended use of the chemical and restrictions on use**Recommended use** For industrial use only**Restrictions on use** None.Details of the supplier of the safety data sheetSupplier AddressAvient Corporation
33587 Walker Road, Avon Lake, OH 44012**E-mail address** regulatoryservices@avient.comEmergency telephone number**Company Phone Number** 1 (440) 930-1000
or 1 (844) 4 AVIENT**24 Hour Emergency Phone Number** CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident)**Emergency Telephone** No information available**2. Hazard(s) identification**Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 1A

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Danger

Hazard statements

Causes serious eye irritation.

May cause genetic defects.

May damage fertility or the unborn child.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice and attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice and attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret / Unique identifier
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate	6846-50-0	5 - 10%	*
Calcium oxide	1305-78-8	1 - 3%	*
Titanium dioxide	13463-67-7	0.1 - 1%	*
Naphtha, petroleum, hydrotreated heavy	64742-48-9	0.1 - 1%	*
Naphtha, petroleum, heavy alkylate	64741-65-7	0.1 - 1%	*
Hexanoic acid, 2-ethyl-, zinc salt (2:1)	136-53-8	0.1 - 1%	*
Phenol	108-95-2	0.1 - 1%	*
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO	64742-54-7	0.1 - 1%	*
HAZ_Distillates, petroleum, hydrotreated heavy paraffinic with more than 3 % DMSO_H350	64742-54-7	0.1 - 1%	*
2-Ethylhexanoic acid	149-57-5	0.1 - 1%	*

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Do not try to remove solidified material from the skin. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.
Effects of Exposure	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. Mutagenic effects.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Do not use water jetstream.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Ammonia. Hydrogen chloride. Phosphorus oxides. Phosphine. Metal oxides.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear protective gloves, eye protection and face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.
---------------------------	---

8. Exposure controls/personal protection**Control Parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium oxide (1305-78-8)	TWA: 2 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ not in effect as a result of reconsideration	TWA: 2 mg/m ³ ; IDLH: 25 mg/m ³
Titanium dioxide (13463-67-7)	TWA: 0.2 mg/m ³ nanoscale respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ ; CIB 63 fine TWA: 0.3 mg/m ³ ; CIB 63 ultrafine, including engineered nanoscale IDLH: 5000 mg/m ³
Phenol (108-95-2)	TWA: 5 ppm pSk	TWA: 5 ppm TWA: 19 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m ³ dSk Sdv	TWA: 5 ppm; TWA: 19 mg/m ³ ; Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m ³ 15 min IDLH: 250 ppm
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO (64742-54-7)	TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined Exposure by all routes should be carefully controlled to levels as low as possible	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ IDLH: 2500 mg/m ³
HAZ_Distillates, petroleum, hydrotreated heavy paraffinic with	TWA: 5 mg/m ³ inhalable particulate matter excluding	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³

more than 3 % DMSO_H350 (64742-54-7)	metal working fluids, highly & severely refined Exposure by all routes should be carefully controlled to levels as low as possible		IDLH: 2500 mg/m ³
2-Ethylhexanoic acid (149-57-5)	TWA: 5 mg/m ³ inhalable fraction and vapor	-	-

Note See section 16 for terms and abbreviations.

Other information on limit values Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Biological occupational exposure limits

Chemical name	ACGIH
Phenol (108-95-2)	250 mg/g creatinine - urine (Phenol with hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid
Physical state	Liquid
Color	Grey
Odor (includes odor threshold)	Slight

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air	No data available	None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known

Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure (includes evaporation rate)	No data available	None known
Evaporation rate	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

Other information**10. Stability and reactivity**

Reactivity	No information available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition. static discharge (electrostatic discharge). Storage near to reactive materials. Dust formation. Protect from moisture.
Incompatible materials	Incompatible with strong oxidizers and with strong acids and bases (decomposes to form formaldehyde). At melt temperatures, acetal resins are incompatible with halogenated polymers such as vinyl (PVC) and any elastomers containing any halogenated polymers. At processing conditions, these materials are mutually destructive and involve rapid degradation. Even small amounts of such contaminants can cause sudden and spontaneous formaldehyde gas formation. Workplace fume well above threshold levels are a likely result. Unsafe pressurization of equipment such as extruder or mold can also result. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of halogenated materials from coming in contact with the acetal. Prevent contamination of virgin or rework resin.
Hazardous decomposition products	None under normal use conditions.

11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on likely routes of exposure**Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Prolonged contact may

cause redness and irritation. Causes mild skin irritation.

Ingestion

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.

Acute toxicity

Based on available data, the classification criteria are not met.

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)	5005 mg/kg (rat)	> 5000 mg/kg (Rabbit)	> 5.3 mg/L (Rat) 6 h
Naphtha, petroleum, hydrotreated heavy (64742-48-9)	-	> 5000 mg/kg (Rabbit)	-
Hexanoic acid, 2-ethyl-, zinc salt (2:1) (136-53-8)	= 3550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Phenol (108-95-2)	300 mg/kg (Rat)	630 mg/kg (Rabbit)	-
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO (64742-54-7)	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
HAZ_Distillates, petroleum, hydrotreated heavy paraffinic with more than 3 % DMSO_H350 (64742-54-7)	-	> 5000 mg/kg (Rabbit)	-
2-Ethylhexanoic acid (149-57-5)	2043 mg/kg bw	> 2000 mg/kg bw	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide (13463-67-7)	A3	Group 2B	-	X
Phenol (108-95-2)	-	Group 3	-	-
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO (64742-54-7)	A2 - Suspected human carcinogen A4 - Not classifiable as a human carcinogen	Group 1 - Carcinogenic to humans	Known human carcinogen	Present
HAZ_Distillates, petroleum, hydrotreated heavy paraffinic with more than 3 % DMSO_H350 (64742-54-7)	A2	Group 1	Known	X

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity Based on available data, the classification criteria are not met.

Aquatic ecotoxicity

Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)	-	-	-	-
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO (64742-54-7)	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	EC50: >1000mg/L (48h, Daphnia magna)	-	-

Terrestrial ecotoxicity

Component Information

Chemical name	Earthworm	Avian	Honeybees
Phenol (108-95-2)	Acute Toxicity: LC100 = 6900 mg/kg (Eisenia foetida, 56 Days soil dry weight)	-	-

Persistence and degradability No information available.

Bioaccumulative potential

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)	-	-	-
Phenol (108-95-2)	1.47	17.5	-

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Regulations

The Rotterdam Convention Not applicable

International Inventories

TSCA	Complies
DSL/NDL	Not determined
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AIIC	Not determined
NZIoC	Not determined
TCSI	Not determined

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product contains CaProp 65 substances above 0.1%!

Chemical name	California Proposition 65
Titanium dioxide (13463-67-7)	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium oxide (1305-78-8)	X	X	X
Titanium dioxide (13463-67-7)	X	X	X
Hexanoic acid, 2-ethyl-, zinc salt (2:1) (136-53-8)	X	-	X
Phenol (108-95-2)	X	X	X
Distillates, petroleum, hydrotreated heavy paraffinic less than 3% DMSO with less than 3 % DMSO (64742-54-7)	X	X	X
HAZ_Distillates, petroleum, hydrotreated heavy paraffinic with more than 3 % DMSO_H350 (64742-54-7)	X	X	X
2-Ethylhexanoic acid (149-57-5)	X	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards 2	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards 2 *	Flammability 0	Physical hazards 0	Personal protection -
<i>Chronic Hazard Star Legend</i>		<i>* = Chronic Health Hazard</i>		

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)

ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECEL	Existing Chemical Exposure Limit
EINECS	European Inventory of Existing Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure

STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 U.S. Environmental Protection Agency
 U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 U.S. Hazardous Substance Data Bank (HSDB)
 International Uniform Chemical Information Database (IUCLID)
 Japan National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 U.S. National Institute for Occupational Safety and Health (NIOSH)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Revision date 15-09-2026

Revision Note No information available.

Disclaimer

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly, this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet